



Kallvalsad plåt
Glödgad och betad, yta 2B
Cold rolled sheets
Annealed and pickled, surface 2B

Tol.: ISO 9445
Cert.: EN 10204/3.1

Dim.	Kg/ st/pc	EN 1.4301/7	1.4404	1.4509	1.4301/7	1.4404	1.4301/7
		Varunr. Article no.	Varunr. Article no.	Varunr. Article no.	folie 1 sida/one side coated		utan papper/no paper
		Varunr. Article no.	Varunr. Article no.	Varunr. Article no.	Varunr. Article no.	Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 0,50	8,00	● 05000	▶ 05001				
2500 x 1250	12,50	● 05002	▶ 05003				
2000 x 1000 x 0,60	9,60	● 05004	▶ 05005				
2500 x 1250	15,00	▶ 05006	▶ 05007				
2000 x 1000 x 0,70	11,20	● 05008	● 05009				
2500 x 1250	17,50	● 05010	● 05011				
2000 x 1000 x 0,80	12,80	● 05012	● 05013		● 14019		
2500 x 1250	20,00	● 05014	▶ 05015				
2000 x 1000 x 0,90	14,40	▶ 05016	▶ 05017				
2500 x 1250	22,50	▶ 05018	▶ 05019				
2000 x 1000 x 1,00	16,00	● 05022	● 05023		● 14001	● 14084	▶ 33144
3000 x 1000	24,00	▶ 05024	▶ 05025				
2500 x 1250	25,00	● 05026	● 05027	▶ 750013	● 14002		● 33149
3000 x 1250	30,00	▶ 05028	▶ 05029				
3000 x 1500	36,00	● 05030	● 05031		● 14003		● 33154
2000 x 1000 x 1,20	19,20	● 05032	● 05033		● 14085		▶ 33145
2500 x 1250	30,00	● 05034	● 05035		● 14075		● 33150
3000 x 1250	36,00	▶ 05235	▶ 11026				
3000 x 1500	43,20	● 05036	● 05037		● 14076		● 33155
2000 x 1000 x 1,50	24,00	● 05038	● 05039		● 14004	● 14077	▶ 33146
2500 x 1250	37,50	● 05042	● 05043	▶ 750014	● 14005	● 14078	● 33151
3000 x 1000	36,00	● 05040	▶ 05041				
3000 x 1250	45,00	● 05044	▶ 05045				
3000 x 1500	54,00	● 05046	● 05047		● 14006	● 14079	● 33156
4000 x 2000	96,00	● 31693			● 31694		
2000 x 1000 x 2,00	32,00	● 05048	● 05049		● 14007	● 14080	▶ 33147
3000 x 1000	48,00	▶ 05050	▶ 05051				
2500 x 1250	50,00	● 05052	● 05053	▶ 750015	● 14008	● 14073	● 33152
3000 x 1250	60,00	● 05054	▶ 05055				
3000 x 1500	72,00	● 05056	● 05057		● 14009	● 14074	● 33157
4000 x 1500	96,00	▶ 26850	▶ 26858		▶ 26870		
4000 x 2000	128,00	● 26852	● 26860		● 26871	● 26877	
2000 x 1000 x 2,50	40,00	● 05058	● 05059		● 14010		
2500 x 1250	62,50	● 05060	▶ 05061		● 14011	● 14087	
3000 x 1500	90,00	● 05062	● 05063		● 14012	● 14088	
4000 x 2000	160,00	● 26853	● 26861		● 26872	● 26878	
2000 x 1000 x 3,00	48,00	● 05064	● 05065		● 14013	● 14081	▶ 33148
3000 x 1000	72,00	● 05066	▶ 05067				
2500 x 1250	75,00	● 05068	● 05069		● 14014	● 14082	● 33153
3000 x 1250	90,00	● 05070	▶ 05071				
3000 x 1500	108,00	● 05072	● 05073		● 14015	● 14083	● 33158
4000 x 1500	144,00	▶ 26851	▶ 26859				
4000 x 2000	192,00	● 26854	● 26862		● 26873	● 26879	

fortsättning på nästa sida / continued on the next page

Kallvalsad plåt
 Glödgad och betad, yta 2B, med folie på en sida
 Cold rolled sheets
 Annealed and pickled, surface 2B, coated one side

Tol.: ISO 9445
 Cert.: EN 10204/3.1

Dim.	Kg/ st/pc	EN 1.4301/7	1.4404	1.4301/7	1.4404
		Varunr. Article no.	Varunr. Article no.	folie 1 sida/coated one side Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 4,00	64,00	● 05074	● 05075		
2500 x 1250	100,00	● 05076	● 05077	● 14086	
3000 x 1500	144,00	● 05078	● 05079	● 32482	
4000 x 2000	256,00	● 26855	● 26863	● 26874	● 26880
2000 x 1000 x 5,00	80,00	● 05080	● 05081	● 14017	
2500 x 1250	125,00	● 05082	● 05083	● 14018	
3000 x 1500	180,00	● 05084	● 05085		
4000 x 2000	320,00	● 26856	● 26864	● 26875	● 26881
2000 x 1000 x 6,00	96,00	● 05086	● 05087		
2500 x 1250	150,00	● 05088	● 05089		
3000 x 1500	216,00	● 05090	● 05091		
4000 x 2000	384,00	● 26857	● 26865	● 26876	● 26882
2000 x 1000 x 8,00	128,00	● 19531			
2500 x 1250	200,00	● 19532			
3000 x 1500	288,00	● 19533	● 32446		

Kallvalsad plåt
Slipad/Scotch Brite borstad, folie på en sida
Cold rolled sheets
Polished/brushed type Scotch Brite, coated one side

Tol.: ISO 9445
Cert.: EN 10204/3.1

Dim.	Kg/st st/pc	EN 1.4301/7	1.4301/7	1.4016	1.4404
		Slipad/Polished 240	Scotch Brite/brushed	Scotch Brite/brushed	Scotch Brite/brushed
		Varunr. Article no.	Varunr. Article no.	Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 0,70	11,20	● 05092	● 19500		● 15203
2500 x 1250	17,50	● 05251	● 19501		
2000 x 1000 x 0,80	12,80	● 05094	● 19502		
2500 x 1250	20,00	● 05096	● 19503	● 32516	
2000 x 1000 x 1,00	16,00	● 05098	● 19504		● 15180
3000 x 1000	24,00	▶ 05100			
2500 x 1250	25,00	● 05102	● 19505	● 32517	● 15204
3000 x 1250	30,00	● 05104	● 19506		
3000 x 1500	36,00	● 05217	● 19507		
2000 x 1000 x 1,20	19,20	● 05106	● 19508		
3000 x 1000	28,80	● 22064			
2500 x 1250	30,00	● 05108	● 19509		
3000 x 1250	36,00	● 05252			
3000 x 1500	43,20	● 14016	● 19510		
2000 x 1000 x 1,50	24,00	● 05112	● 19511		● 15206
2500 x 1250	37,50	● 05114	● 19512	● 32518	● 31985
3000 x 1250	45,00	▶ 05116	● 19513		
3000 x 1500	54,00	● 05118	● 19514		
2000 x 1000 x 2,00	32,00	● 05120	● 19515		● 15205
2500 x 1250	50,00	● 05122	● 19516	● 32519	
3000 x 1250	60,00	● 05124			
3000 x 1500	72,00	● 05126	● 19517		
4000 x 2000	128,00	● 31295			
2000 x 1000 x 2,50	40,00	● 05219			
2500 x 1250	62,50	● 05236			
3000 x 1500	90,00	● 05334			
2000 x 1000 x 3,00	48,00	● 05128	● 19518		
2500 x 1250	75,00	● 05130	● 19519		
3000 x 1500	108,00	● 05132	● 19520		
2000 x 1000 x 4,00	64,00	● 05134	▶ 05135		
2500 x 1250	100,00	● 15262			
3000 x 1500	144,00	● 05136	▶ 05137		
3000 x 1500 x 5,00	180,00	● 05253			
2500 x 1250 x 6,00	150,00	● 05138	▶ 05139		

Kallvalsad plåt*Slipad 1 sida, Ra 0,55 +/- 0,15 my, laserfolie på en sida**Cold rolled sheets**Ground, Ra 0,55 +/- 0,15 my, coated with laser film one side*

Dim.	Kg/ st/pc	EN	1.4301/7	1.4404
			Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 1,00	16,0		● 15148	
2500 x 1250 x 1,00	25,0		● 15150	● 15210
3000 x 1500 x 1,00	36,0		● 15165	● 32837
2000 x 1000 x 1,20	20,0		● 15152	
2500 x 1250 x 1,20	30,0		● 15153	
3000 x 1500 x 1,20	43,2		● 15167	
2500 x 1250 x 1,50	37,5		● 15155	● 15190
3000 x 1250 x 1,50	45,0		● 15156	
3000 x 1500 x 1,50	54,0		● 15157	● 15194
2500 x 1250 x 2,00	50,0		● 15159	● 15189
3000 x 1250 x 2,00	60,0		● 15160	
3000 x 1500 x 2,00	72,0		● 15161	● 15193
2000 x 1000 x 3,00	48,0		● 15162	
2500 x 1250 x 3,00	75,0		● 15163	● 15192
3000 x 1500 x 3,00	108,0		● 15164	
2000 x 1000 x 4,00	64,0		● 15172	
3000 x 1500 x 4,00	144,0		● 15173	

Kallvalsad plåt*Blankglöddgad, yta 2R, folie på en sida**Cold rolled sheets**Bright annealed, surface 2R, coated one side**Tol.: ISO 9445**Cert.: EN 10204/3.1*

Dim.	Kg/ st/pc	EN	1.4301
			Varunr. Article no.
2000 x 1000 x 0,70	11,20		▶ 15105
2500 x 1250 x 0,70	17,50		▶ 15106
2000 x 1000 x 0,80	12,80		● 15107
2500 x 1250 x 0,80	20,00		● 15108
2000 x 1000 x 1,00	16,00		● 05141
2500 x 1250 x 1,00	25,00		● 05142
3000 x 1500 x 1,00	36,00		● 15211
2000 x 1000 x 1,20	19,20		● 15183
2500 x 1250 x 1,20	30,00		● 05143
2000 x 1000 x 1,50	24,00		● 05239
2500 x 1250 x 1,50	37,50		● 05240
3000 x 1500 x 1,50	54,00		● 15212
2500 x 1250 x 2,00	50,00		● 05242

Kallvalsad plåt
Mönstervalsad, blankglödgad, yta 2R eller borstad, folie på en sida
Cold rolled sheets
Textured, bright annealed 2R or brushed, coated one side

Tol.: ISO 9445
Cert.: EN 10204/3.1

Dim.	Kg/ st/pc	EN	1.4301/7 Type 5WL/2R	1.4301/7 Type 5WL/Borstad	1.4301/7 Type 7GM
			Varunr. Article no.		Varunr. Article no.
2000 x 1000 x 1,00	16,00			▶ 05144	● 750006
2500 x 1250	25,00		● 750003	● 05401	▶ 820000
2000 x 1000 x 1,20	19,20		▶ 05241	● 05402	● 750007
2000 x 1000 x 1,50	24,00		● 750004	● 05403	● 750008
2500 x 1250	37,50		● 750005	● 05404	▶ 820000

Cert.: ASTM A240/480
EN 10204/3.1

Kallvalsad plåt
Spegelpolerad no. 8, med 2 lag 100 mic. folie på en sida
Cold rolled sheets
Finish no. 8, with double 100 mic. film on one side

Dim.	Kg/ st/pc	AISI	304
			Varunr. Article no.
2500 x 1219 x 1,00	24,50		● 750001
2500 x 1219 x 1,50	36,60		● 750002
2500 x 1219 x 2,00	48,80		● 750009

Varmvalsad bandplåt
 Glödgd och betad, yta 1D
 Hot rolled plates
 Annealed and pickled, surface 1D

Tolerans: EN 10051
 Cert.: EN 10204/3.1

Dim.	Kg/ st/pc	EN	1.4301/7 Varunr. Article no.	1.4404 Varunr. Article no.
2000 x 1000 x 3,00	48,00		● 05146	● 05147
2500 x 1250	75,00		● 05148	▶ 05149
3000 x 1500	108,00		● 05150	▶ 05151
2000 x 1000 x 4,00	64,00		● 05152	● 05153
2500 x 1250	100,00		● 05154	● 05155
3000 x 1500	144,00		● 05156	● 05157
4000 x 2000	256,00		▶ 17319	
2000 x 1000 x 5,00	80,00		● 05158	● 05159
2500 x 1250	125,00		● 05160	● 05161
3000 x 1500	180,00		● 05162	● 05163
4000 x 2000	320,00		● 17300	● 17320
2000 x 1000 x 6,00	96,00		● 05164	● 05165
2500 x 1250	150,00		● 05166	● 05167
3000 x 1500	216,00		● 05168	● 05169
4000 x 2000	384,00		● 17301	● 17321
2000 x 1000 x 8,00	128,00		● 05170	● 05171
2500 x 1250	200,00		● 05172	● 05173
3000 x 1500	288,00		● 05174	● 05175
4000 x 2000	512,00		● 17302	● 17322
2000 x 1000 x 10,00	160,00		● 05176	● 05177
2500 x 1250	250,00		● 05178	● 05179
3000 x 1500	360,00		● 05180	● 05181
4000 x 2000	640,00		● 17303	● 17306
2000 x 1000 x 12,00	192,00		● 05182	● 05183
2500 x 1250	300,00		● 05184	▶ 05185
3000 x 1500	432,00		● 05337	● 05332
4000 x 2000	768,00		● 17304	● 17307

fortsättning på nästa sida / continued on the next page

Varmvalsad kvartoplåt
Glödgad och betad, yta 1D
Hot rolled plates
Annealed and pickled, surface 1D

Tolerans: EN 10029 KL. B
Cert.: EN 10204/3.1

Dim.	Kg/ st/pc	EN	1.4301/7	1.4404
			Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 15,00	250,00		● 15220	● 15230
2500 x 1250	390,00		● 15265	● 15271
3000 x 1500	562,00		● 15232	● 15284
4000 x 2000	988,80		● 15500	● 15501
6000 x 2000	1483,20		▶ 15600	▶ 15610
2000 x 1000 x 20,00	333,00		● 15221	● 15231
2500 x 1250	520,00		● 15266	● 15248
3000 x 1500	749,00		● 15247	● 15285
4000 x 2000	1280,00		● 15502	● 15503
6000 x 2000	1977,60		▶ 15601	▶ 15611
2000 x 1000 x 25,00	412,00		● 15233	● 05301
2500 x 1250	644,00		● 15267	● 15272
3000 x 1500	927,00		● 15280	● 15286
4000 x 2000	1648,00		● 15504	● 15505
6000 x 2000	2472,00		▶ 15602	▶ 15612
2000 x 1000 x 30,00	494,00		● 15277	● 05303
2500 x 1250	773,00		▶ 15268	▶ 15273
3000 x 1500	1112,40		● 15281	● 15287
4000 x 2000	1977,60		● 15506	● 15507
6000 x 2000	2966,40		▶ 15603	▶ 15613
3000 x 1500 x 35,00	1297,00		▶ 33005	● 05280
2000 x 1000 x 40,00	659,20		● 15275	● 15276
2500 x 1250	1030,00		▶ 15269	▶ 15222
3000 x 1500	1483,20		● 15282	● 15288
2000 x 1000 x 50,00	824,00		● 15290	● 15291
2500 x 1250	1287,50		▶ 15292	▶ 15293
3000 x 1500	1854,00		▶ 15283	● 15289

Varmvalsad tårplåt
Glödgad och betad
Hot rolled floor plates
Annealed and pickled

Tol.: DIN 59220
Cert.: EN 10204/2.2

Dim.	Kg/ st/pc	EN	1.4301/7	1.4404
			Varunr. Article no.	Varunr. Article no.
2000 x 1000 x 3,0/ 4,5	52,00		● 15294	▶ 05188
2500 x 1250	81,50		● 15296	
3000 x 1000	78,00		● 14000	
3000 x 1250	97,50		● 14099	
2000 x 1000 x 4,5/ 6,0	76,00		● 15295	▶ 05194
2500 x 1250	119,00		● 15297	▶ 05197
3000 x 1250	142,50		● 15298	▶ 05200
3000 x 1500	171,00		● 32345	
2000 x 1000 x 6,0/ 8,0	110,00		▶ 05201	▶ 05203
3000 x 1000	165,00		▶ 05204	▶ 05206
3000 x 1250	206,25		▶ 05207	▶ 05209
3000 x 1000 x 8,0/ 10,0	207,00		▶ 05213	▶ 05215