

SVETSADE LIVSMEDELSRÖR

Rostfria och syrafasta
 Utvändigt slipade, oglödgade. Invändigt vulstbearbetade

Dim. mm	Kg/m	EN 1.4301		EN 1.4404	
		Varunr	Kr/m	Varunr	Kr/m
25,0 x 1,20	0,74	8240	112	34024	151
28,0 x 1,50	1,00	34980	151		
32,0 x 1,20	0,93	34910	140		
38,0 x 1,20	1,15	8241	152	34025	220
40,0 x 1,00	0,98	34423	149		
51,0 x 1,20	1,50	8242	192	34026	278
63,5 x 1,50	2,33	8243	310	34027	382
76,1 x 1,60	2,99	34912	350	34922	437
76,1 x 2,00	3,71	8244	440	34028	533
101,6 x 2,00	4,93	8245	607	34029	736
104,0 x 2,00	5,10			8212	764
129,0 x 2,00	6,36			8216	1100
154,0 x 2,00	7,61			8220	1310

DIN 11850-CD, EN 10217 - 7 TC 1

Rostfria och syrafasta
 Utvändigt slipade, glödgade. Invändigt vulstbearbetade

Dim. mm	Kg/m	EN 1.4301		EN 1.4404	
		Varunr	Kr/m	Varunr	Kr/m
22,0 x 1,50	0,77	8163	143		
25,0 x 1,20	0,74				
28,0 x 1,50	0,99				
32,0 x 1,20	0,96				
34,0 x 1,50	1,22	8179	197		
38,0 x 1,20	1,15				
40,0 x 1,00	0,97	8183	165		
40,0 x 1,50	1,44				
51,0 x 1,20	1,56				
52,0 x 1,50	1,89				
63,5 x 1,50	2,33				
70,0 x 2,00	3,40				
76,1 x 1,60	3,07				
76,1 x 2,00	3,70				
85,0 x 2,00	4,16				
101,6 x 2,00	4,93	8094	819		

DIN 11850-BD, EN 10217 - 7 TC 1

SVETSADE LIVSMEDELSRÖR

Rostfria och syrafasta
 Oslipade, oglödade. Invändigt vulstbearbetade

Dim. mm	Kg/m	EN 1.4301		EN 1.4404	
		Varunr	Kr/m	Varunr	Kr/m
18,0 x 1,00	0,43			34990	101
19,0 x 1,50	0,66			34982	155
23,0 x 1,50	0,81			34983	173
25,0 x 1,20	0,72	34900	83	34913	127
29,0 x 1,50	1,03			34984	195
32,0 x 1,20	0,93	34901	108		
35,0 x 1,50	1,26			34988	203
38,0 x 1,20	1,11	34902	127	34914	188
41,0 x 1,50	1,48			34985	233
51,0 x 1,20	1,50	34903	173	34915	239
53,0 x 1,50	1,93			34987	303
63,5 x 1,50	2,33	34904	256	34916	326
70,0 x 2,00	3,41	34978	313	34925	446
76,1 x 1,60	2,99	34906	286	34918	370
76,1 x 2,00	3,71	34907	304	34919	468
85,0 x 2,00	4,16	34979	380	34926	550
101,6 x 2,00	4,99	34908	454	34920	648
104,0 x 2,00	5,11			34927	664
129,0 x 2,00	6,36			34126	861
154,0 x 2,00	7,61			34127	1024
204,0 x 2,00	10,12			34128	1360

DIN 11850-CC, EN 10217 - 7 TC 1

Rostfria och syrafasta
 Oslipade, glödade. Invändigt vulstbearbetade

Dim. mm	Kg/m	EN 1.4301		EN 1.4404	
		Varunr	Kr/m	Varunr	Kr/m
13,0 x 1,50	0,43				
23,0 x 1,50	0,81				
25,0 x 1,20	0,74				
28,0 x 1,00	0,67	8111	138		
32,0 x 1,20	0,96				
38,0 x 1,20	1,11				
40,0 x 1,00	0,97				
51,0 x 1,20	1,56				
63,5 x 1,50	2,33				
70,0 x 2,00	3,40			8148	512
76,1 x 1,60	3,07				
76,1 x 2,00	3,70				
85,0 x 2,00	4,16				
101,6 x 2,00	4,93				
104,0 x 2,00					

DIN 11850-BC, EN 10217 - 7 TC 1

SUPER DAIRY

Invändigt eftervalsad svets söm, dubbelt betade,
 invändigt maximal ytjämnhet på RA 0,4 my och på
 svets sömmen Ra 0,8 my, plastplugg i båda ändar.

Dim.	Kg/m	EN 1.4404 Oslipade Oglöd gade CC		EN 1.4404 Slipade K 180/220 Oglöd gade CD		EN 1.4404 Oslipade Glöd gade BC	
		Varunr	Kr/m	Varunr	Kr/m	Varunr	Kr/m
25,0 x 1,20	0,72			33449	219	34178	232
38,0 x 1,20	1,11	33443	274	33450	297	34108	309
51,0 x 1,20	1,50			33451	403	34179	410
63,5 x 1,50	2,33	33445	473			34180	551
63,5 x 1,60	2,48	33903	483	33901	562	34923	563
76,1 x 1,60	2,99			33453	634	34924	636
76,1 x 2,00	3,71			33454	773	34182	798
101,6 x 2,00	4,99			33455	1067	34183	1100

Tol: EN/ISO 1127 D4/T3, EN 10217-7, TC1

LIVSMEDELSDELAR BÖJAR

Rostfria och syrafasta

Svetsade, utvändigt slipade och invändigt efterdragna

Dimension mm	90° kort radie				90° lång radie				90° ISO 2851			
	EN 1.4301		EN 1.4404		EN 1.4301		EN 1.4404		EN 1.4301		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25,0 x 1,2	25000	94	25001	115	27345	192	27365	364	18275	119	18285	135
32,0 x 1,2	25002	131	25003	249								
38,0 x 1,2	25004	125	25005	151	27346	297	27366	379	18276	145	18286	167
51,0 x 1,2	25006	140	25007	178	27347	338	27367	494	18277	167	18287	192
63,5 x 1,5	25008	202	25009	245	27348	587	27368	810	18278	224	18288	240
76,1 x 1,6									18279	333	18289	386
76,1 x 2,0	25010	306	25011	400								
101,6 x 2,0	25012	614	25013	749					18280	665	18290	763

Dimension mm	90° förlängd 200 mm				45°			
	EN 1.4301		EN 1.4404		EN 1.4301		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25,0 x 1,2	27350	188	-		25014	125	25015	145
38,0 x 1,2	27351	240	-		25016	151	25017	167
51,0 x 1,2	27352	306	-		25018	181	25019	198
			-					
63,5 x 1,6	27353	410	-		25020	240	25021	264
76,1 x 2,0	27354	624	-		25022	410	25023	437
101,6 x 2,0			-		25024	790	25025	825

Dimension mm	90° N130 korta rakändar EN 1.4404		90° N130 utan rakändar EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st
25,0 x 1,2	32842	99	33411	86
38,0 x 1,2	32843	137	33412	132
51,0 x 1,2	32844	176	33413	168
63,5 x 1,6	32845	202	33414	195
76,1 x 2,0	32846	315	33415	305
101,6 x 2,0	32847	585	33416	571

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR BÖJAR forts.
Syrafasta
Svetsade, metallblanka och invändigt efterdragna
DIN 11852

Dimension mm	90°	
	EN 1.4404	
	Varunr	Kr/st
12,0 x 1,5	32848	99
13,0 x 1,5	34130	100
18,0 x 1,5	32849	94
19,0 x 1,5	34131	95
22,0 x 1,5	32850	99
23,0 x 1,5	34132	100
28,0 x 1,5	32851	110
29,0 x 1,5	34133	112
35,0 x 1,5	34169	136
40,0 x 1,5	32852	146
41,0 x 1,5	34134	148
52,0 x 1,5	32853	173
53,0 x 1,5	34135	175
70,0 x 2,0	32854	320
85,0 x 2,0	32855	410
104,0 x 2,0	32856	540
129,0 x 2,0	32857	985
154,0 x 2,0	32858	1230
204,0 x 2,0	32859	2155

Dimension mm	45°	
	EN 1.4404	
	Varunr	Kr/st
13,0 x 1,5	34136	69
19,0 x 1,5	34137	79
23,0 x 1,5	34138	85
29,0 x 1,5	34139	88
35,0 x 1,5	34170	90
41,0 x 1,5	34140	101
53,0 x 1,5	34141	151
70,0 x 2,0	32864	190
85,0 x 2,0	32865	380
104,0 x 2,0	32866	430
129,0 x 2,0	32867	805
154,0 x 2,0	32868	1210

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR T-RÖR

Rostfria och syrafasta

Svetsade, utvändigt slipade och invändigt efterdragna

N130

Dimension mm	Uppkragade							
	EN 1.4301		EN 1.4404		EN 1.4301		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25,0 x 1,2	25026	198	25027	234	25040	167	25041	188
32,0 x 1,2	25028	312						
38,0 x 1,2	25030	224	25029	270	25042	192	25043	218
51,0 x 1,2	25032	249	25031	297	25044	213	25045	245
51,0 x 1,2								
63,5 x 1,5	25034	400	25033	479	25046	338	25047	386
76,1 x 2,0	25036	463	25035	546	25048	394	25049	452
76,1 x 2,0								
101,6 x 2,0	25038	955	25037	1075	25050	515	25051	700
101,6 x 2,0								
101,6 x 2,0								

N131

Dimension mm	Reduc. avstick	
	EN 1.4404	
	Varunr	Kr/st
38,0 x 25,0 x 1,2	25052	245
51,0 x 25,0 x 1,2	25053	275
51,0 x 38,0 x 1,2	25054	275
63,5 x 25,0 x 1,6	25055	431
63,5 x 38,0 x 1,6	25056	431
63,5 x 51,0 x 1,6	25057	431
76,1 x 25,0 x 2,0	32450	510
76,1 x 38,0 x 2,0	25058	510
76,1 x 51,0 x 2,0	25059	510
76,1 x 63,5 x 2,0	25060	510
101,6 x 25,0 x 2,0	32451	1004
101,6 x 38,0 x 2,0	32452	1004
101,6 x 51,0 x 2,0	25061	1004
101,6 x 63,5 x 2,0	25062	1012
101,6 x 76,0 x 2,0	25063	1028

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR T-RÖR forts.**Rostfria och syrafasta****Svetsade, utvändigt slipade och invändigt efterdragna****T-rör med reducerat avstick DIN 11852
N131**

Dim. mm	EN 1.4404		
	Ansl.	Varunr	Kr/st
41 x 29 x 1,5	40	36776	405
53 x 29 x 1,5	50	36777	456
53 x 41 x 1,5	50	36778	441
70 x 53 x 2,0	65	36779	673
85 x 29 x 2,0	80	36780	880
85 x 53 x 2,0	80	36781	885
85 x 70 x 2,0	80	36782	843
104 x 29 x 2,0	100	36783	1069
104 x 41 x 2,0	100	36784	1070
104 x 53 x 2,0	100	36785	1082
104 x 70 x 2,0	100	36786	1091
104 x 85 x 2,0	100	36787	1104
129 x 29 x 2,0	125	36788	3606
129 x 41 x 2,0	125	36789	3647
129 x 53 x 2,0	125	36790	3689
129 x 104 x 2,0	125	36791	4435
154 x 53 x 2,0	150	36792	4771
154 x 71 x 2,0	150	36793	4674
154 x 85 x 2,0	150	36794	4598

**T-rör, uppkratgat DIN 11852
N131**

Dim. mm	EN 1.4404		
	Ansl.	Varunr	Kr/st
12 x 1,5	10	32881	340
13 x 1,5	10	34142	344
18 x 1,5	15	32882	290
19 x 1,5	15	34143	290
22 x 1,5	20	32883	306
23 x 1,5	20	34144	308
28 x 1,5	25	32884	288
29 x 1,5	25	34145	290
35 x 1,5	32	34171	377
40 x 1,5	40	32885	405
41 x 1,5	40	34146	406
52 x 1,5	50	32886	420
53 x 1,5	50	34147	421
70 x 2,0	65	32887	504
85 x 2,0	80	32888	719
104 x 2,0	100	32889	841
129 x 2,0	125	32890	1983
154 x 2,0	150	32891	4136
204 x 2,0	200	32892	4584

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR KONOR

Koncentrisk kona, syrafast
N 132, SMS, Svetsade,
Utvändigt slipade och invändigt efterdragna

Dimension mm	EN 1.4404	
	Varunr	Kr/st
38/25	25069	125
51/25	25070	218
51/38	25071	151
63/38	25072	240
63/51	25073	167
76/38	33272	256
76/51	25074	249
76/63	25075	208
102/51	33271	519
102/63	27727	468
102/76	25076	494

Excentrisk kona, syrafast
N 132, SMS, Svetsade,
Utvändigt slipade och invändigt efterdragna

Dimension mm	EN 1.4404	
	Varunr	Kr/st
38/25	25077	224
51/25	25078	394
51/38	25079	270
63/38	25080	322
63/51	25081	302
76/38	33273	416
76/51	25082	359
76/63	25083	312
102/51	33274	779
102/63	33275	601
102/76	25084	540

Koncentrisk kona, syrafast
N 132
DIN 11852, Metallblank

Dimension mm	DIN DN	EN 1.4404	
		Varunr	Kr/st
19 x 13 x 1,5	15/10	34148	126
23 x 19 x 1,5	20/15	34149	124
28 x 12 x 1,5	25/10	32913	357
29 x 13 x 1,5	25/10	34150	439
29 x 19 x 1,5	25/15	36770	181
29 x 23 x 1,5	25/20	34151	170
34 x 28 x 1,5	32/25	32914	195
40 x 28 x 1,5	40/25	32915	151
41 x 29 x 1,5	40/25	34152	168
41 x 35 x 1,5	40/32	34172	162
52 x 40 x 1,5	50/40	32919	170
53 x 29 x 1,5	50/25	36771	192
53 x 41 x 1,5	50/40	34153	170
70 x 52 x 2,0	65/50	32921	220
70 x 53 x 2,0	65/50	34154	220
85 x 52 x 2,0	80/50	32923	378
85 x 53 x 2,0	80/50	34155	378
85 x 70 x 2,0	80/65	36772	274
104 x 53 x 2,0	100/50	36773	783
104 x 70 x 2,0	100/65	32926	475
104 x 85 x 2,0	100/80	32927	385
129 x 85 x 2,0	125/80	36774	1244
129 x 104 x 2,0	125/100	32928	1065
154 x 104 x 2,0	150/100	36775	1226
154 x 129 x 2,0	150/125	32960	1065
204 x 154 x 2,0	200/150	34156	2330

Excentrisk kona, syrafast
N 132
DIN 11852, Metallblank

Dimension mm	DIN DN	EN 1.4404	
		Varunr	Kr/st
19 x 13 x 1,5	15/10	34157	126
23 x 19 x 1,5	20/15	34158	285
29 x 13 x 1,5	25/10	34159	359
29 x 23 x 1,5	25/20	34160	338
35 x 23 x 1,5	32/20	34173	398
35 x 29 x 1,5	32/25	34174	350
41 x 29 x 1,5	40/25	34161	375
41 x 35 x 1,5	40/32	34175	360
53 x 41 x 1,5	50/40	34162	390
70 x 53 x 2,0	65/50	34163	484
85 x 53 x 2,0	80/50	34164	375
104 x 85 x 2,0	100/80	34165	688
129 x 104 x 2,0	125/100	34166	1040
154 x 129 x 2,0	150/125	34167	1370
204 x 154 x 2,0	200/150	34168	4950

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR SLANGHYLSOR

Rak med 1 rilla

ISO 2037

Dimension mm	EN 1.4404	
	Varunr	Kr/st
25	27520	208
38	27521	220
51	27522	262
63,5	27523	218
76,1	27524	281

Rak med 2 rillor

N165

Dimension mm	EN 1.4404	
	Varunr	Kr/st
25	34184	258
38	34185	315
51	34186	448
63,5	34187	642
76,1	34188	961
101,6	34189	1292

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR RÖRHÅLLARE

SMS

Dim. mm	Trönningehållare, dubbel med fot		N 134 kort skaft med ½" gänga med plastinlägg		N 134 kort skaft med ½" gänga bred m unbrako	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
EN 1.4301						
	27510	115	25097	124	32954	150
25	27511	125	25098	140	32955	156
38	27512	135	25099	145	32956	170
51						
63,5	27513	156	25100	156	32957	185
76,1	27514	173	25101	173	32958	190
101,6	27515	188	25102	201	32959	210

Rörhållare med rörskaft

N134

SMS

Dim. mm	Med plastinlägg				Bred med unbrako skruv			
	med rörskaft längd 90 mm		med rörskaft längd 150 mm		med rörskaft längd 90 mm		med rörskaft längd 150 mm	
EN 1.4301								
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25	25085	125	25091	140	32942	155	32948	225
38	25086	131	25092	151	32943	160	32949	250
51	25087	135	25093	161	32944	189	32950	275
63,5	25088	145	25094	173	32945	205	32951	294
76,1	25089	156	25095	181	32946	225	32952	308
101,6	25090	173	25096	192	32947	245	32953	410

Rörhållare med rörskaft, unbrako skruv

N114

DIN

Dim. mm	Skaft längd	EN 1.4301	
		Varunr	Kr/st
21	90	20329	151
26	90	20330	155
31	90	20331	157
38	90	20332	160
46	90	20333	188
56	90	20334	194
71	90	20335	519
76	90	20336	225
86	90	20337	238
106	102	20338	208
131	105	20339	258
156	128	20340	312
206	152	20341	363
256	177	20342	398
306	203	20343	422

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR

CLAMPKOPPLING Rostfria och syrafasta

ISO

Dim. mm	Clampring med vingmutter		Clampring med vingmutter kraftig		Svetshylsa		Blindbricka	
	EN 1.4301		EN 1.4301		EN 1.4404		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25	18315	292	32625	348	18325	104	18400	156
38	18316	292	32627	348	18326	104	18401	156
51	18317	326	32629	388	18327	125	18402	208
63,5	18318	386	32631	463	18328	181	18403	234
76,1	18319	426	32633	510	18329	218	18404	292
101,6	18320	498	32635	597	18330	406	18405	426

DIN

Dim. mm	Clampring med vingmutter kraftig		Svetshylsa		Blindbricka	
	EN 1.4301		EN 1.4404		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
13	32622	248	32642	82		
19	32623	248	32643	83		
23	32624	248	32644	85	32658	152
29	32626	348	32645	104	32659	156
41	32628	348	32646	104	32660	156
53	32630	388	32647	125	32661	208
70	32632	510	32648	212	32662	292
85	32634	557	32649	357	32663	347
104	32636	597	32650	430	32664	426
129	32637	994	32651	930	32665	891
154	32638	1380	32652	1397	32666	1179
204	32639	1992	32653	1835	32667	1871

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR forts.**CLAMPPACKNING****SMS**

Ansl.	Packning					
	EPDM		Viton		PTFE	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25	32557	21	32577	70	34442	176
38	32558	21	32578	70	34443	176
51	32559	25	32579	77	34444	225
63,5	32560	32	32580	95	34445	251
76,1	32561	37	32581	112	34446	269
101,6	32562	51	32582	136	34447	354

DIN

Dim. mm	Packning							
	NBR		EPDM		Viton		PTFE	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
13	32670	31	32684	20			32712	135
19	32671	31	32685	20	32699	91		
23			32686	20				
29	32673	35	32687	21	32701	95	32715	137
41	32674	35	32688	21	32702	95	32716	137
53	32675	47	32689	25	32703	114	32717	172
70	32676	62	32690	37	32704	147	32718	195
85	32677	68	32691	42	32705	166	32719	297
104	32678	77	32692	51	32706	173	32720	390
129	32679	138	32693	68	32707	385		
154	32680	174	32694	75	32708	420	32722	689
204			32695	88				
254			32696	292				
300			32697	671				

LIVSMEDELSDELAR forts.**MINICLAMP**

Dim. mm	Mini clamppackning					
	EPDM		Viton		PTFE	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
6	32736	84				
8	32737	84				
10	32738	84			32753	270
12	32739	84	32747	424	32754	270
14	32740	84				
16	32741	84	32749	424		
18	32742	84	32750	424	32757	270
19	32743	84				

Mini clampring m. vingmutter		
Dim.	EN 1.4404	
mm	Varunr	Kr/st
6,0 - 19,0	32726	235

Mini clampblindbricka		
Dim.	EN 1.4404	
mm	Varunr	Kr/st
6,0 - 19,0	32735	254

Mini clamp svetshylsa		
Dim.	316L / EN 1.4404	
mm	Varunr	Kr/st
6	32727	275
8	32728	275
10	32729	275
12	32730	275
14	32731	275
16	32732	275
18	32733	275
19	32734	275

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR KOPPLINGAR

Rostfria och syrafasta
För svetsning, SMS

Dim. mm	Mutter		Svetshylsa				Svetsnippel	
	EN 1.4301		EN 1.4404		EN 1.4301		EN 1.4404	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25	27410	115	27395	73	27385	145	27401	104
38	27411	151	27396	84	27386	192	27402	135
51	27412	167	27397	102	27387	240	27403	161
63,5	27413	218	27398	140	27388	312	27404	213
76,1	27414	275	27399	178	27389	359	27405	249
101,6	27415	685	27400	333			27406	561

Dim. mm	Packningar							
	Nitril		EPDM		Viton		PTFE	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
25	27420	8	27500	13	32284	115	34430	61
38	27421	9	27501	14	32285	125	34431	75
51	27422	11	27502	19	32286	131	34432	90
63,5	27423	12	27503	20	32287	167	34433	136
76,1	27424	13	27504	22	32288	202	34434	158
101,6	27425	37	27505	88	32289	224	34435	224

Dim. mm	Blindbrickor	
	EN 1.4404	
	Varunr	Kr/st
25	27450	94
38	27451	135
51	27452	156
63,5	27453	198
76,1	27454	255
101,6	27455	494

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR KOPPLINGAR forts.

Rostfria och syrafasta
 För svetsning, DIN 11850

Dim. mm	Svetsnippel		Svetshylsa		Svetshylsa		Blindbricka	
	EN 1.4404		EN 1.4404		EN 1.4301		EN 1.4301	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
29	33290	187	33296	124	33302	154	33681	169
41	33291	221	33297	169	33303	176	33682	276
53	33292	273	33298	195	33304	199	33683	369
70	33293	388	33299	281	33305	323	33684	536
85	33294	583	33300	418	33306	498	33685	954
104	33295	761	33301	674	33307	665	33686	1256
154							33688	2767

Packningar, DIN						
Dim. mm	Nitril		EPDM		PTFE	
	Varunr	Kr/st	Varunr	Kr/st	Varunr	Kr/st
29	33308	8	33314	13	34436	72
41	33309	11	33315	15	34437	84
53	33310	13	33316	21	34438	96
70	33311	16	33317	26	34439	128
85	33312	22	33318	36	34440	176
104	33313	31	33319	44	34441	235

Legeringstillägg tillkommer ej

LIVSMEDELSDELAR

Skivventil LKB, med svetsändar, EPDM packning, utan handtag
 SMS

Dim. mm	AISI 316L	
	Varunr	Kr/st
25	27105	2475
38	27106	2511
51	27107	2758
63,5	27108	3473
76,1	27109	4436
101,6	27110	5210

Handtag, rostfritt för skivventil LKB
 2-läges

Dim. mm	AISI 304	
	Varunr	Kr/st
25,0 - 63,5	27115	545
76,1	27116	769
101,6	27117	1046

Legeringstillägg tillkommer ej