

## TANKTILLBEHÖR

### MANLUCKOR för trycklösa tankar. Runda, öppnas utåt. AISI 316L

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-C10.202.085.01.E	N/230/B	ø200	EPDM	3,0	<b>1 704</b>	270	763	1 255
TS-C15.306.100.01.E	241/B	ø306	EPDM	4,0	<b>1 524</b>	314		1 389
TS-C55.404.100.01.E	TV/401/B	ø406	EPDM	6,5	<b>2 464</b>	314	1 299	1 746
TS-C20.404.100.06.E	6V/251/B	ø404	EPDM	9,5	<b>4 431</b>	583	1 165	3 001
TS-C25.436.100.01.E	BV/430/B	ø436	EPDM	9,5	<b>4 122</b>	583	1 165	1 757
TS-C30.454.100.01.E	T/450/B	ø454	EPDM	13,5	<b>3 584</b>	583	1 209	2 062
TS-C30.454.150.01.E	T/451/B	ø454	EPDM	14,5	<b>3 764</b>	583	1 209	2 062
TS-C30.520.100.01.E	T/520/B	ø520	EPDM	16,0	<b>4 122</b>	673	1 345	3 137
TS-C30.520.150.01.E *	T/521/B	ø520	EPDM	17,0	<b>5 264</b>	673	1 345	3 137
TS-C30.520.200.01.E	T/522/B	ø520	EPDM	18,0	<b>4 883</b>	673	1 345	3 137
TS-C30.620.100.01.E	T/620/B	ø620	EPDM	21,0	<b>5 287</b>	763	1 433	3 584
TS-C30.620.200.01.E	T/622/B	ø620	EPDM	26,0	<b>5 649</b>	763	1 433	3 584
TS-C20.454.100.05.E	5V/450/B	ø454	EPDM	11,0	<b>4 435</b>	583	1 209	2 062
TS-C20.454.150.05.E	5V/451/B	ø454	EPDM	12,0	<b>4 481</b>	583	1 209	2 062
TS-C20.520.100.06.E	6V/520/B	ø520	EPDM	15,0	<b>5 466</b>	673	1 345	3 137
TS-C20.520.150.06.E	6V/521/B	ø520	EPDM	16,5	<b>5 824</b>	673	1 345	3 137
TS-C20.620.100.08.E	8V/600/B	ø620	EPDM	20,0	<b>7 526</b>	763	1 433	3 584
TS-C20.620.200.08.E	8V/602/B	ø620	EPDM	25,0	<b>7 884</b>	763	1 433	3 584
TS-C35.425.100.01.E	D15-420	ø425	EPDM	11,0	<b>3 584</b>	404	941	1 882
TS-C45.205.100.01.E	D8-200	ø205	EPDM	3,5	<b>1 882</b>	270	673	1 075
TS-C45.305.075.04.E	D8-300	ø305	EPDM	5,5	<b>2 464</b>	314	851	1 433
TS-C45.425.100.01.E	D8-420	ø425	EPDM	10,0	<b>3 584</b>	404	941	1 882
TS-C45.505.100.01.E	D8-500	ø505	EPDM	12,5	<b>4 352</b>	448	1 165	2 823
TS-C50.255.100.01.E	D9-250	ø255	EPDM	4,0	<b>1 792</b>	314		2 062
TS-C50.505.100.01.E	D9-500	ø505	EPDM	8,0	<b>3 584</b>	493	1 209	6 451
TS-C50.605.100.01.E	D9-600	ø605	EPDM	13,0	<b>4 837</b>	673		6 989
TS-C55.404.150.01.E	TV/402/B	ø404	EPDM	7,5	<b>2 823</b>	583	1 165	3 001
TS-C55.454.100.01.E	TV/450/B	ø454	EPDM	10,5	<b>3 047</b>	583	1 209	2 062
TS-C55.520.100.01.E	TV/500/B	ø520	EPDM	14,0	<b>3 942</b>	673	1 345	3 137
TS-C55.620.100.01.E	TV/600/B	ø620	EPDM	19,0	<b>5 287</b>	763	1 433	3 584
TS-C55.620.200.01.E *	TV/602/B	ø620	EPDM	23,5	<b>5 646</b>	763	1 433	3 584

**TANKTILLBEHÖR forts.****MANLUCKOR för trycklösa tankar. Ovala, öppnas inåt. AISI 316L**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-O10.440.060.01.E	174/B		EPDM	8	<b>2 823</b>	314	1 704	2 150
TS-O15.440.060.01.E	184/B		EPDM	8,7	<b>3 181</b>	314	1 704	2 150
TS-O30.490.100.01.E	200/B		EPDM	22	<b>6 585</b>	583	1 704	2 555
TS-O25.542.060.01.E	A/15/B		EPDM	20	<b>6 989</b>	448	1 704	1 972
TS-O25.542.100.01.E	A/16/B		EPDM	22	<b>7 884</b>	448	1 704	1 972

**MANLUCKOR för trycklösa tankar. Rektangulära, öppnas utåt. AISI 316L**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-R10.300.060.01.E	Z/175/B		EPDM	5	<b>2 330</b>	314		1 568
TS-R15.234.060.01.E	295/B		EPDM	3,5	<b>1 972</b>	314	763	1 568
TS-R20.332.060.01.E	160/B		EPDM	12	<b>3 584</b>	404	1 389	2 779
TS-R20.332.100.01.E	161/B		EPDM	14	<b>4 122</b>	404	1 389	2 779
TS-R25.440.060.01.E	165/B		EPDM	13	<b>4 032</b>	404	1 389	2 779
TS-R25.440.100.01.E	166/B		EPDM	15	<b>4 659</b>	404	1 389	2 779
TS-R30.432.060.01.E	1500/B		EPDM	27	<b>5 646</b>	583	1 882	3 225
TS-R30.432.100.01.E	1502/B		EPDM	29	<b>6 585</b>	583	1 882	3 225
TS-R30.555.060.01.E	1600/B		EPDM	27	<b>6 048</b>	583	1 882	3 225
TS-R30.555.100.01.E	1602/B		EPDM	29	<b>6 885</b>	583	1 882	3 225
TS-R55.470.080.01.S	470		Silicone	36,5	<b>7 882</b>			

**MANLUCKOR godkända för trycktankar enligt TÜV, Runda, öppnas utåt, AISI 316L**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-C01.308.150.04.S *	D13-300-4		Silicone	23	<b>12 185</b>	270	851	1 527
TS-C01.308.150.06.S	D13-300-6		Silicone	24	<b>14 114</b>	270	851	1 527
TS-C01.308.150.08.S	D13-300-8		Silicone	25	<b>15 993</b>	270	851	1 527
TS-C01.408.150.04.S *	D13-400-4		Silicone	26	<b>13 172</b>	404	941	1 972
TS-C01.408.150.06.S	D13-400-6		Silicone	27	<b>15 052</b>	404	941	1 972
TS-C01.408.150.08.S	D13-400-8		Silicone	28	<b>17 024</b>	404	941	1 972
TS-C01.458.150.04.S *	D13-450-4		Silicone	30	<b>15 006</b>	493	1 075	2 240
TS-C01.458.150.06.S	D13-450-6		Silicone	31	<b>17 875</b>	493	1 075	2 240
TS-C01.458.150.08.S	D13-450-8		Silicone	32	<b>18 537</b>	493	1 075	2 240
TS-C01.458.150.10.S *	D13-450-10		Silicone	33	<b>19 756</b>	493	1 075	2 240
TS-C01.508.150.04.S *	D13-500-4		Silicone	36	<b>16 595</b>	583	1 165	2 420
TS-C01.508.150.06.S	D13-500-6		Silicone	38	<b>18 007</b>	583	1 165	2 420
TS-C01.508.150.08.S	D13-500-8		Silicone	39	<b>19 066</b>	583	1 165	2 420
TS-C01.508.150.12.S *	D13-500-12		Silicone	41	<b>22 578</b>	583	1 165	2 420
TS-C01.608.150.06.S	D13-600-6		Silicone	42	<b>19 755</b>	673	1 433	2 555
TS-C01.608.150.08.S	D13-600-8		Silicone	44	<b>21 637</b>	673	1 433	2 555
TS-C01.608.150.14.S *	D13-600-14		Silicone	50	<b>28 223</b>	673	1 433	2 555

**MANLUCKOR godkända för trycktankar enligt TÜV, Ovala, öppnas inåt, AISI 316L**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-O01.520.100.01.S	A11/B		Silicone	31	<b>9 614</b>	851	1 704	
TS-O04.500.030.01.S	A17/B		Silicone	15	<b>6 631</b>	494	1 704	3 988
TS-O05.540.080.01.S	A18/B		Silicone	31	<b>8 108</b>	494	1 704	3 988

**TANKTILLBEHÖR forts.****MANLUCKOR för trycktankar ej PED-godkända, Runda**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st	EPD	Silicone	Viton
TS-C40.422.100.04.S	D2-400		Silicone	22	<b>11 648</b>	404	941	1 972
TS-C40.472.100.04.S	D2-450		Silicone	23	<b>12 231</b>	493	1 075	2 240
TS-C40.522.100.04.S	D2-500		Silicone	24	<b>12 813</b>	583	1 165	1 165
TS-C40.622.100.06.S	D2-600		Silicone	26	<b>14 111</b>	673	1 433	2 555

**Utluftningsventil för trycklösa tankar**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st
TS-A10.013.013.PE	A10			0,2	<b>134</b>
TS-A20.040.040.PE	A20			0,3	<b>224</b>
TS-A30.080.080.PE	A30			0,5	<b>448</b>
TS-A40.030.030.SS	A40			2,0	<b>1 255</b>
TS-A50.100.100.SS	A50			3,0	<b>1 614</b>

**Synglas**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st
TS-TO38	T038			0,3	<b>583</b>
TS-TO51	T051			0,3	<b>941</b>
TS-TO76	T076			1,0	<b>1 345</b>
TS-TO100	T0100			2,0	<b>1 704</b>

**Ställbart tankben med platta**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st
TS-TANKTÅ 3/4"	R/TT/1			0,5	<b>628</b>
TS-TANKTÅ 1"	R/TT/2			2,0	<b>763</b>
TS-TANKTÅ 1 1/2"	R/TT/3			2,5	<b>851</b>

**Provkranar**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st
TS-390B.PROVKRAN	390/B			0,2	<b>406</b>
TS-390DB.PROVKRAN	390/DB			0,2	<b>404</b>

**Hållare för nivåglas**

Varunr nytt	Gammalt	Storlek	Packning*	Vikt	Kr st
TS-410B	410/B			0,8	<b>673</b>
TS-420B	420/B			0,8	<b>493</b>

**SYRAFAST HELGÄNGAD STÅNG****A4**

Varunr	Dim.	Ldg mm	Vikt/kg	Kr/st
27680	M 3	1000	0,06	<b>54</b>
27681	M 4	1000	0,10	<b>68</b>
27682	M 5	1000	0,12	<b>58</b>
27683	M 6	1000	0,17	<b>72</b>
27684	M 8	1000	0,31	<b>122</b>
27685	M10	1000	0,50	<b>192</b>
27686	M12	1000	0,72	<b>278</b>
27687	M16	1000	1,75	<b>510</b>
27688	M20	1000	2,08	<b>800</b>
27689	M24	1000	3,00	<b>1210</b>

**MO-TEST DECAPOLI 304/316**

För identifiering av Mo legerat stål

Storlek	Varunr	Kr/st
100 ml. förpackning	29002	<b>490</b>